

HIWIN G03 SDS

(Safety Data

Features

1. Low dust generate characteristics and suitable for clean room environment
2. Well wear resistance and wear protection for components
3. long term grease, well wear resistance under high speed conditions
4. Low starting and running torques particularly at low temperatures, to ensure high efficiency and conserve energy
5. compatible with plastic components

Pack sizes



Basic properties

HIWIN G03		
Consistency enhancer		Special calcium soap
Color		Beige
Basic oil		Synthetic hydrocarbon oil
Service temperature range (°C)		-45 to 125
NLGI Grade		2
Viscosity (cst/40°C)		30
Drop point (°C)		>210
4-ball test	Wear scar diameter (µm) (ASTM D2266)	366
Origin		Germany

1. Identification of the substance/mixture and of the company/undertaking

- ◆ **Product details**

Trade name: HIWIN G03

Application of the substance / the preparation: Grease

Manufacturer/Supplier: HIWIN TECHNOLOGIES CORP.

No.7, Jingke Road, Taichung Precision Machinery Park, Taichung 40852, Taiwan

Tel.: +886-4-23594510 **Fax:** +886-4-23594420

Information in case of emergency: +886-4-23594510

2. Hazards identification

- ◆ **Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

- ◆ **Label elements**

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.

- ◆ **Other hazards**

3. Composition/information on ingredients

- ◆ **Mixtures**

Chemical nature: Synthetic hydrocarbon oil special calcium soap

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1	R52/53	Aquatic Chronic3; H412	>= 1 - < 2.5
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole	59656-20-1 261-844-5	R52/53	Aquatic Chronic3; H412	>= 1 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First-aid measures

- ◆ **Description of first aid measures**

If inhaled:

Remove person to fresh air. If signs/symptoms continue, get medical attention.

Keep patient warm and at rest.

If unconscious place in recovery position and seek medical advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact:

Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact:

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed:

If unconscious place in recovery position and seek medical advice.

Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

Get medical attention if symptoms occur.

Move the victim to fresh air.

Rinse mouth with water.

- ◆ **Most important symptoms and effects, both acute and delayed**

- ◆ **Indication of any immediate medical attention and special treatment needed**

5. Fire-fighting measures

- ◆ **Extinguishing media**

Suitable extinguishing media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: none

- ◆ **Special hazards arising from the substance or mixture**

Specific hazards during firefighting:

Fire may cause evolution of:

Carbon oxides

Metal oxides

Nitrogen oxides (NO_x)

Sulphur oxides

- ◆ **Advice for firefighters**

Special protective equipment for fire-fighters:

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus.

Exposure to decomposition products may be a hazard to health.

Further information:

Standard procedure for chemical fires.

6. Accidental release measures

- ◆ **Personal precautions, protective equipment and emergency procedures**

Personal precautions:

Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

- ◆ **Environmental precautions**

Environmental precautions:

Try to prevent the material from entering drains or water courses.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages cannot be contained.

- ◆ **Methods and material for containment and cleaning up**

Methods for cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

- ◆ **Reference to other sections**

7. Handling and storage

- ◆ **Precautions for safe handling**

Advice on safe handling:

Do not breathe vapours or spray mist.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

Wash hands and face before breaks and immediately after handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which may still contain product residues.

Keep container closed when not in use.

Avoid inhalation of vapour or mist.

- ◆ **Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers:**

- Store in original container.

- Keep container closed when not in use.

- Keep in a dry, cool and well-ventilated place.

- To maintain product quality, do not store in heat or direct sunlight.

- Containers which are opened must be carefully resealed and kept upright to prevent leakage.

- Store in accordance with the particular national regulations.

- Keep in properly labelled containers.

- ◆ **Specific end use(s)**

8. Exposure controls/personal protection

- ◆ **Control parameters**

- Contains no substances with occupational exposure limit values.**

- DNEL**

- 2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:**

- End Use: Industrial use

- Exposure routes: Inhalation

- Potential health effects: Acute systemic effects

- Value: 1087 mg/m³

- End Use: Industrial use

- Exposure routes: Skin contact

- Potential health effects: Long-term systemic effects

- Value: 6.25 mg/kg

- End Use: Industrial use

- Exposure routes: Skin contact

- Potential health effects: Acute systemic effects

- Value: 3125 mg/kg

- ◆ **Exposure controls**

- Engineering measures**

- Maintain air concentrations below occupational exposure standards.

- It is recommended that all dust control equipment such as local exhaust ventilation and

material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

none

Personal protection equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

For prolonged or repeated contact use protective gloves.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection:

Safety glasses with side-shields conforming to EN166.

Hygiene measures:

Wash face, hands and any exposed skin thoroughly after handling.

Protective measures:

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

General advice:

Try to prevent the material from entering drains or water courses.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

♦ **Information on basic physical and chemical properties**

Form: paste

Colour: beige

Odour: characteristic

Odour Threshold: No data available

pH: No data available

Melting point/range: No data available

Boiling point/boiling range: No data available

- Flash point:** not applicable
- Evaporation rate:** No data available
- Flammability (solid, gas):** No data available
- Lower explosion limit:** No data available
- Upper explosion limit:** No data available
- Vapour pressure:** < 0.001 hPa, 20°C
- Relative vapour density:** No data available
- Density:** 0.89 g/cm³, 20°C
- Water solubility:** insoluble
- Solubility in other solvents:** No data available
- Partition coefficient: n-octanol/water:** No data available
- Auto-ignition temperature:** No data available
- Ignition temperature:** No data available
- Viscosity, dynamic:** No data available
- Viscosity, kinematic:** No data available
- Oxidizing properties:** No data available
- ◆ **Other information**
 - Sublimation point:** No data available
 - Bulk density:** No data available

10. Stability and reactivity

- ◆ **Reactivity**
- ◆ **Chemical stability**
No decomposition if stored and applied as directed
- ◆ **Possibility of hazardous reactions**
Hazardous reactions: No dangerous reaction known under conditions of normal use.
- ◆ **Conditions to avoid**
Conditions to avoid: No conditions to be specially mentioned.
- ◆ **Incompatible materials**
Materials to avoid: No materials to be especially mentioned
- ◆ **Hazardous decomposition products**

11. Toxicological information

- ◆ **Information on toxicological effects**
 - Product**
 - Acute inhalation toxicity:** This information is not available.
 - Skin corrosion/irritation:** This information is not available.
 - Serious eye damage/eye irritation:** This information is not available.
 - Respiratory or skin sensitization:** This information is not available.
 - Germ cell mutagenicity**
 - Genotoxicity in vitro:** No data available

Genotoxicity in vivo: No data available

Carcinogenicity: No data available

Reproductive toxicity: No data available

Teratogenicity: No data available

Repeated dose toxicity: This information is not available.

Aspiration toxicity: This information is not available.

Further information: Information given is based on data on the components and the toxicology of similar products.

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity: LD50: > 5,000 mg/kg, rat, OECD Test Guideline 401

Acute dermal toxicity: LD50: > 2,000 mg/kg, rat, OECD Test Guideline 402

Skin corrosion/irritation:

rabbit, Result:No skin irritation, Classification: No skin irritation

Serious eye damage/eye irritation:

rabbit, Result: No eye irritation, Classification: No eye irritation

Respiratory or skin sensitization:

guinea pig, Result:Did not cause sensitisation on laboratory animals., OECD Test Guideline 406

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Acute oral toxicity: LD50: > 5,000 mg/kg, rat, OECD Test Guideline 401

Acute dermal toxicity: LD50: > 2,000 mg/kg, rat, OECD Test Guideline 402

Skin corrosion/irritation:

rabbit, Result: No skin irritation, Classification: No skin irritation, OECD Test Guideline 404

Serious eye damage/eye irritation:

rabbit, Result: No eye irritation, Classification: No eye irritation, OECD Test Guideline 405

Respiratory or skin sensitization: Buehler Test, guinea pig, Result: Did not cause sensitisation on laboratory animals., Classification: Did not cause sensitisation on laboratory animals., OECD Test Guideline 406

Germ cell mutagenicity

Assessment:

Animal testing did not show any mutagenic effects.

12. Ecological information

♦ **Toxicity**

Product

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Toxicity to bacteria: No data available

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish: LC50: > 100 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates: EC50: 51 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD 202 T1

Ecotoxicology Assessment

Acute aquatic toxicity: Harmful to aquatic life.

Chronic aquatic toxicity: Harmful to aquatic life with long lasting effects.

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:

Toxicity to fish: LC50: > 1,000 mg/l, 96 h, Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates:

EC50: 41 mg/l, 48 h, Daphnia magna (Water flea), OECD Test Guideline 202

Toxicity to algae: EC50: > 100 mg/l, 72 h, Pseudokirchneriella subcapitata (green algae), Growth inhibition, OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity: Harmful to aquatic life.

Chronic aquatic toxicity: Harmful to aquatic life with long lasting effects.

◆ Persistence and degradability**Product**

Biodegradability: No data available

Physico-chemical removability: No data available

Components**2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:****Biodegradability:**

Primary biodegradation, Result: Not readily biodegradable., OECD Test Guideline 301C

◆ Bioaccumulative potential**Product****Bioaccumulation:**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Components**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:****Bioaccumulation:**

Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:**Bioaccumulation:**

Fish, Bioconcentration factor (BCF): 3.16

◆ Mobility in soil**Product**

Mobility: No data available

Distribution among environmental compartments: No data available

- ◆ **Results of PBT and vPvB assessment**

- Product**

- Assessment:**

- This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

- Components**

- 2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole:**

- Assessment:**

- Non-classified PBT substance, Non-classified vPvB substance

13. Disposal considerations

- ◆ **Waste treatment methods**

- Product:**

- The product should not be allowed to enter drains, water courses or the soil.

- Waste codes should be assigned by the user based on the application for which the product was used.

- Contaminated packaging:**

- Empty containers can be landfilled, when in accordance with the local regulations.

14. Transport information

- ◆ **UN number**

- ADR**

- Not dangerous goods

- IMDG**

- Not dangerous goods

- IATA**

- Not dangerous goods

- ◆ **Proper shipping name**

- ADR**

- Not dangerous goods

- IMDG**

- Not dangerous goods

- IATA**

- Not dangerous goods

- ◆ **Transport hazard class**

- ADR**

- Not dangerous goods

- IMDG**

- Not dangerous goods

- IATA**

- Not dangerous goods
- ◆ **Packing group**
 - ADR**
Not dangerous goods
 - IMDG**
Not dangerous goods
 - IATA**
Not dangerous goods
- ◆ **Environmental hazards**
 - ADR**
Not dangerous goods
 - IMDG**
Not dangerous goods
 - IATA**
Not dangerous goods
- ◆ **Special precautions for user**
 - No data available
- ◆ **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
 - Not available

15. Regulatory information

- ◆ **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59):**
This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
 - Major Accident Hazard Legislation:**
96/82/EC Update: not applicable
- ◆ **Chemical Safety Assessment**
 - This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H412 Harmful to aquatic life with long lasting effects.

Version: 2.3

Printed: 2019.09.26

HIWIN TECHNOLOGIES CORP.

No. 7, Jingke Road,
Taichung Precision Machinery Park,
Taichung 40852, Taiwan
Tel: +886-4-23594510
Fax: +886-4-23594420
www.hiwin.tw
business@hiwin.tw

Subsidiaries & R&D Centers

HIWIN GmbH
OFFENBURG, GERMANY
www.hiwin.de
www.hiwin.eu
info@hiwin.de

HIWIN JAPAN
KOBE · TOKYO · NAGOYA · NAGANO · TOHOKU ·
HOKURIKU · HIROSHIMA · KUMAMOTO, JAPAN
www.hiwin.co.jp
info@hiwin.co.jp

HIWIN USA
CHICAGO · SILICON VALLEY, U.S.A.
www.hiwin.com
info@hiwin.com

HIWIN s.r.o.
BRNO, CZECH REPUBLIC
www.hiwin.cz
info@hiwin.cz

HIWIN Schweiz GmbH
JONA, SWITZERLAND
www.hiwin.ch
info@hiwin.ch

HIWIN FRANCE
ECHAUFFOUR, FRANCE
www.hiwin.fr
info@hiwin.fr

HIWIN Srl
MILAN, ITALY
www.hiwin.it
info@hiwin.it

HIWIN SINGAPORE
SINGAPORE
www.hiwin.sg
info@hiwin.sg

HIWIN KOREA
SOWON, KOREA
www.hiwin.kr
info@hiwin.kr

HIWIN CHINA
SUZHOU, CHINA
www.hiwin.cn
info@hiwin.cn

Mega-Fabs Motion System, Ltd.
HAIFA, ISRAEL
www.mega-fabs.com
info@mega-fabs.com

The specifications in this catalog are subject to change without notification.

1. HIWIN is the registered trademark of HIWIN Technologies Corp.. Please avoid buying the counterfeit goods that are from unknown sources to protect your rights.
2. Actual products may be different from the specifications and photos in this catalog, and the differences in appearances or specifications may be caused by, among other things, product improvements.
3. HIWIN will not sell or export those techniques and products restricted under the "Foreign Trade Act" and relevant regulations. Any export of restricted products should be approved by competent authorities in accordance with relevant laws, and shall not be used to manufacture or develop the nuclear, biochemical, missile and other military weapons.
4. HIWIN website for patented product directory: http://www.hiwin.tw/Products/Products_patents.aspx